
FIG.1



## FIG.2





FIG.3



ins is

FIG.4

## (FIRST DRUM SIDE PERFORATING OPERATION) START **ST11** ST19 DOWNSTREAM SIDE MOVABLE GUIDE PLATE AT LOWER LIMIT POSITION? VSYNC SIGNAL OUTPUTTED? No No ST12 Yes **ST20** Yes PLATEN MOTOR ON, FEED MOTOR ON FEED MOTOR ON ST13 ST21 DOWNSTREAM SIDE STENCIL SHEET FEED SENSOR ON? No UPSTREAM SIDE STENCIL SHEET AWAITING SENSOR ON? No **ST22** ST14 Yes Yes AWAIT FOR δ SECOND AWAIT FOR α SECOND OF TIMER OF TIMER ST23 ST15 FEED MOTOR OFF REDUCE SPEED OF PLATEN MOTOR ST24 ST16 PLATEN MOTOR No OPERATING TIME ≥ γ SECOND? DOWNSTREAM SIDE STENCIL SHEET AWAITING SENSOR ON? No **ST25** Yes ST,17 Yes PLATEN MOTOR OFF AWAIT FOR & SECOND OF TIMER ST26 FEED MOTOR OFF, MOVE DOWNSTREAM SIDE MOVABLE GUIDE PLATE TO LOWER LIMIT SETTING OPERATION **ST18 END**

FIG.5

## (SECOND DRUM SIDE PERFORATING OPERATION)







FIG.6A



## FIG.6B











FIG.8

STEUCIL SHEET TRANSFER AMOUNT



K-1962

FIG.10

